

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---|---|------------------|---------|---------------------|
| L2 | 101 | (server WITH overload).detc. (threshold or maximum or minimum).detc. (reject or deny or discard) (delay or period or time) @ad< "20040127" not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/18 12:58 |
| L3 | 68 | (server WITH overload).detc. threshold.detc. (reject or deny or discard) (delay or period or time) @ad< "20040127" not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/18 13:04 |
| L4 | 5 | (server WITH overload).detc. ((second or lower) adj threshold).detc. (reject or deny or discard) @ad< "20040127" not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/18 13:19 |
| L5 | 4 | "6961341".pn. or "6889257".pn. or "6259776".pn. or "6510214".pn. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/18 13:24 |
| S1 | 2661 | 709/225.cdcs. (@ad< "20040127" OR @rlad< "20040127") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/12 14:18 |
| S2 | 108564 | (gateway or server or portal or intermediary) (load or throughput or latency) (@ad< "20040127" OR @rlad< "20040127") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/12 14:25 |
| S3 | 32266 | (gateway or server or portal or intermediary) (load or throughput or latency) (sample or sampling or periodic) (threshold or maximum or minimum) (@ad< "20040127" OR @rlad< "20040127") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/12 14:45 |
| S4 | 2788 | (gateway or server or portal or intermediary) throughput latency memory (sample or sampling or periodic) (threshold or maximum or minimum) (@ad< "20040127" OR @rlad< "20040127") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/12 14:45 |

| | | | | | | |
|-----|------|--|---|-----|----|---------------------|
| S5 | 2506 | (gateway or server or portal or intermediary) throughput latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (@ad<"20040127" OR @rlad<"20040127") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/12 15:53 |
| S6 | 2443 | (gateway or server or portal) throughput latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (@ad<"20040127" OR @rlad<"20040127") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/12 15:54 |
| S7 | 2135 | (gateway or server or portal) throughput latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) (@ad<"20040127" OR @rlad<"20040127") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/12 15:54 |
| S8 | 1064 | (gateway or server or portal) throughput latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) ratio (@ad<"20040127" OR @rlad<"20040127") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/12 15:54 |
| S9 | 533 | (gateway or server or portal) throughput SAME latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) ratio (@ad<"20040127" OR @rlad<"20040127") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/12 16:06 |
| S10 | 70 | (gateway or server or portal) throughput SAME latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) ratio (@ad<"20040127" OR @rlad<"20040127") *709/\$.cds. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/12 16:35 |

| | | | | | | |
|-----|----|--|--------------------------------------|-----|----|------------------|
| S11 | 69 | (gateway or server or portal) throughput SAME latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) ratio (@ad<"20040127" OR @rlad<"20040127") "709"/\$. ccls. not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/14 17:37 |
| S12 | 2 | (gateway or server or portal) throughput SAME latency SAME ratio memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) (@ad<"20040127" OR @rlad<"20040127") "709"/\$. ccls. not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/14 12:14 |
| S13 | 4 | (gateway or server or portal) throughput SAME latency SAME ratio (sample or sampling or periodic) (threshold or maximum or minimum) (@ad<"20040127" OR @rlad<"20040127") "709"/\$. ccls. not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/14 12:15 |
| S14 | 7 | (gateway or server or portal) throughput SAME latency SAME ratio (@ad<"20040127" OR @rlad<"20040127") "709"/\$. ccls. not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/14 12:15 |
| S15 | 5 | US-5249290-\$.DID. OR US-5878224-\$.DID. OR US-6249801-\$.DID. OR US-6836785-\$.DID. OR US-6832239-\$.DID. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/14 12:23 |
| S16 | 6 | "20030221007".pn. OR US-5249290-\$.DID. OR US-5878224-\$.DID. OR US-6249801-\$.DID. OR US-6836785-\$.DID. OR US-6832239-\$.DID. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/14 12:24 |

| | | | | | | |
|-----|--------|---|---|-----|----|---------------------|
| S17 | 107994 | (gateway or server or portal) (sample or sampling or periodic or "time period" or interval) (threshold or maximum or minimum or current or average) (@ad< "20040127" OR @riad< "20040127") not sun. as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/14 13:16 |
| S18 | 107994 | (gateway or server or portal) (sample or sampling or periodic or "time period" or interval) (threshold or maximum or minimum or current or average) (@ad< "20040127" OR @riad< "20040127") not sun. as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/14 13:16 |
| S19 | 0 | (gateway or server or portal) (sample or sampling or periodic or "time period" or interval) (threshold or maximum or minimum or current or average) (number WITH request) ("average process time" with request) (@ad< "20040127" OR @riad< "20040127") not sun. as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/14 13:17 |
| S20 | 11 | (gateway or server or portal) (sample or sampling or periodic or "time period" or interval) (threshold or maximum or minimum or current or average) (number WITH request) ("average processing time" with request) (@ad< "20040127" OR @riad< "20040127") not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/14 13:20 |
| S21 | 700 | (gateway or server or portal) (sample or sampling or periodic or "time period" or interval) (threshold or maximum or minimum or current or average) (rate WITH request) SAME (arrival or processing or completion) (@ad< "20040127" OR @riad< "20040127") not sun. as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/14 13:32 |

| | | | | | | |
|-----|--------|---|---|-----|-----|---------------------|
| S22 | 1 | ("5878224").PN. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | OFF | 2007/09/14 14:09 |
| S23 | 1 | ("6836785").PN. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | OFF | 2007/09/14 14:09 |
| S24 | 1 | application WITH (gateway or server or portal) mbean instantiate generic WITH class (@ad<"20040127" OR @rlad<"20040127") "709"/\$. cds. not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/14 17:46 |
| S25 | 2777 | 709/225.cds. (@ad<"20040127" OR @rlad<"20040127") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |
| S26 | 112431 | (gateway or server or portal or intermediary) (load or throughput or latency) (@ad<"20040127" OR @rlad<"20040127") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |
| S27 | 33590 | (gateway or server or portal or intermediary) (load or throughput or latency) (sample or sampling or periodic) (threshold or maximum or minimum) (@ad<"20040127" OR @rlad<"20040127") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |
| S28 | 2910 | (gateway or server or portal or intermediary) throughput latency memory (sample or sampling or periodic) (threshold or maximum or minimum) (@ad<"20040127" OR @rlad<"20040127") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |
| S29 | 2617 | (gateway or server or portal or intermediary) throughput latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (@ad<"20040127" OR @rlad<"20040127") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |

| | | | | | | |
|-----|------|---|---|-----|----|---------------------|
| S30 | 2552 | (gateway or server or portal) throughput latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (@ad<"20040127" OR @riad<"20040127") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |
| S31 | 2232 | (gateway or server or portal) throughput latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) (@ad<"20040127" OR @riad<"20040127") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |
| S32 | 1132 | (gateway or server or portal) throughput latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) ratio (@ad<"20040127" OR @riad<"20040127") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |
| S33 | 555 | (gateway or server or portal) throughput SAME latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) ratio (@ad<"20040127" OR @riad<"20040127") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |
| S34 | 71 | (gateway or server or portal) throughput SAME latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) ratio (@ad<"20040127" OR @riad<"20040127") "709"/\$. ccls. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |
| S35 | 70 | (gateway or server or portal) throughput SAME latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) ratio (@ad<"20040127" OR @riad<"20040127") "709"/\$. ccls. not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |

| | | | | | | |
|-----|--------|---|---|-----|----|---------------------|
| S36 | 3 | (gateway or server or portal) throughput SAME latency SAME ratio memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) (@ad<"20040127" OR @rlad<"20040127") *709"/\$.cds. not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |
| S37 | 5 | (gateway or server or portal) throughput SAME latency SAME ratio (sample or sampling or periodic) (threshold or maximum or minimum) (@ad<"20040127" OR @rlad<"20040127") *709"/\$.cds. not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |
| S38 | 8 | (gateway or server or portal) throughput SAME latency SAME ratio (@ad<"20040127" OR @rlad<"20040127") *709"/\$.cds. not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |
| S39 | 5 | US-5249290-\$.DID. OR US-5878224-\$.DID. OR US-6249801-\$.DID. OR US-6836785-\$.DID. OR US-6832239-\$.DID. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |
| S40 | 6 | "20030221007".pn. OR US-5249290-\$.DID. OR US-5878224-\$.DID. OR US-6249801-\$.DID. OR US-6836785-\$.DID. OR US-6832239-\$.DID. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |
| S41 | 112039 | (gateway or server or portal) (sample or sampling or periodic or "time period" or interval) (threshold or maximum or minimum or current or average) (@ad<"20040127" OR @rlad<"20040127") not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |
| S42 | 112039 | (gateway or server or portal) (sample or sampling or periodic or "time period" or interval) (threshold or maximum or minimum or current or average) (@ad<"20040127" OR @rlad<"20040127") not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |

| | | | | | | |
|-----|-----|---|---|-----|-----|---------------------|
| S43 | 0 | (gateway or server or portal) (sample or sampling or periodic or "time period" or interval) (threshold or maximum or minimum or current or average) (number WITH request) ("average process time" with request) (@ad<"20040127" OR @riad<"20040127") not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |
| S44 | 12 | (gateway or server or portal) (sample or sampling or periodic or "time period" or interval) (threshold or maximum or minimum or current or average) (number WITH request) ("average processing time" with request) (@ad<"20040127" OR @riad<"20040127") not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |
| S45 | 720 | (gateway or server or portal) (sample or sampling or periodic or "time period" or interval) (threshold or maximum or minimum or current or average) (rate WITH request) SAME (arrival or processing or completion) (@ad<"20040127" OR @riad<"20040127") not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |
| S46 | 1 | ("5878224").PN. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | OFF | 2008/02/06 17:15 |
| S47 | 1 | ("6836785").PN. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | OFF | 2008/02/06 17:15 |
| S48 | 1 | application WITH (gateway or server or portal) mbean instantiate generic WITH class (@ad<"20040127" OR @riad<"20040127") "709"/\$. ccls. not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/02/06 17:15 |
| S49 | 3 | (server WITH overload) (threshold or maximum or minimum or current or average) grace @ad<"20040127" not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/17 14:58 |

| | | | | | | |
|-----|-----|---|---|-----|----|---------------------|
| S50 | 3 | (server SAME overload) (threshold or maximum or minimum or current or average) grace @ad<"20040127" not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/17 14:59 |
| S51 | 699 | (server WITH overload) (threshold or maximum or minimum or current or average) @ad<"20040127" not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/17 14:59 |
| S52 | 368 | (server WITH overload) (threshold or maximum or minimum or current or average) (safe or normal) @ad<"20040127" not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/17 15:00 |
| S53 | 366 | (server WITH overload) (threshold or maximum or minimum or current or average) (safe or normal) (delay or period or time) @ad<"20040127" not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/17 15:00 |
| S54 | 321 | (server WITH overload) (threshold or maximum or minimum) (safe or normal) (delay or period or time) @ad<"20040127" not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/17 15:00 |
| S55 | 59 | ((server WITH overload) SAME (threshold or maximum or minimum)). detd. (delay or period or time) @ad<"20040127" not sun.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/17 15:02 |

7/18/08 2:36:12 PM

C:\Documents and Settings\ntaylor5\My Documents\EAST\Workspaces\app10.765828.wsp